

SHARP[®]



Commercial Full Line

Light & Heavy Duty Microwave Ovens • Commercial High Speed Oven



In performance and dependability, it's anything but a lightweight.

Nothing brings more to the

Sharp's Light-Duty Series

Behold the future: A place where less is more and lighter is stronger. And faster. And smarter. Sharp's light-duty microwaves feature the indestructible quality and easy maintenance of stainless steel interiors. They resist pitting, chipping, scratches and corrosion. What's more, these cost-efficient models also have super-rugged grab handles, designed to withstand a lifetime of rough handling. Ideal for both foodservice and self-service operations, with a generous 1.0 cu. ft. capacity, they deliver 1000 watts of high-speed power for faster service. Plus an array of easy-to-use features and one-touch controls for mistake-proof microwaving. Just put in the food... push a button... done!



R-21LTF 1000 watts

- Stainless Steel Interior and Exterior
- Computerized Touch Control Panel
- Manual and Memory Programming
- 3-Stage Programming
- SelectaPower™
- Double Quantity Pad
- Express Defrost™
- Sturdy Grab Handle



R-21LVF 1000 watts

- Stainless Steel Interior and Exterior
- Computerized Touch Control Panel
- Manual and Memory Programming
- Double Quantity Pad
- Express Defrost™
- Sturdy Grab Handle



R-21LCF 1000 watts

- Stainless Steel Interior and Door
- 6-Minute Electronic Light Up Dial Timer with Auto Cancel
- Heating Time Guide
- Sturdy Grab Handle

Sharp's Heavy-Duty Series

We subject our heavy-duty ovens to the harshest, most critical, unmerciful testing – to ensure optimum performance and reliability. High-tech yet always high-touch, these structurally superior performers are perfect for high-volume food outlets. Choose from a wide range of powerful wattages. All have durable stainless interiors, sturdy grab-handles and hinges, plus the most sought-after time-saving features. Memory Programming, Double Quantity Pad, and Express Defrost™ eliminate guesswork and increase productivity. While Sharp's "top and bottom" energy distribution system ensures uniform heating and defrosting – regardless of where food is placed. They're even stackable – to expand capacity without taking up valuable counterspace.



R-25JTF 2100 watts

R-24GTF 1800 watts

R-23GTF 1600 watts

R-22GTF 1200 watts

- Stainless Steel Interior and Exterior
- An enduring investment in quality that stands up to high-volume demands
- Heavy duty grab handle offers easy access.
- Rubber sealed ceramic shelf ensures ease of cleaning and maximum use of cooking area.



R-22GVF 1200 watts

- Stainless Steel Interior and Door
- Rugged, dependable and easy-to-care for stainless steel cavity with warm gray exterior
- Also features extra-strong grab handle and rubber sealed ceramic shelf.



table than a heavy weight.

Features

Work Smarter, Not Harder.

Dual Magnetrons designed for dependability and even heating. If one fails, the other works at half power—great for crisis control.

Top and Bottom Microwave Energy Feed for unparalleled performance in cooking, heating and defrosting. Top and bottom antennas have a motor for even microwave distribution.

Computerized Touch Control Panel has 10 programmable Memory pads that provide one-second increment timing. They're extra easy, always reliable with built-in safeguards to prevent unauthorized changes.

Double Quantity Pad automatically adjusts heating times for two portions.

Express Defrost™ automatically divides total defrosting time into 3 stages with 3 different power levels for perfect results.

Stacking Option to make the most efficient use of space. Mounting plate allows easy securing of one oven on top of another.

Set It and Go.

Manual and Memory Programming has 10 preprogrammed Memory pads which easily convert to 20 memories or can be programmed manually for special needs or times.

3-Stage Programming enables user to defrost, then begin heating at one power level and finish at another.

SelectaPower™ provides 11 variable power levels for more precise control.

SelectaTime™ enables manual time setting.

Signal Control offers two different tones to signal end of cycle as well as a silent option.

Keep Tabs on Everything.

Memory Check lets user confirm time setting/power level for each Memory Pad.

Memory Lock prevents erasure of programmed information during power outages or off times.

Counter Check allows management to keep track of features usage and number of manual uses.

Lighted Digital Display shows programmed and elapsed heating times, plus percentage of microwave power, all with the highest level of accuracy.

Menu Labels peel-off and can be easily used for each Memory Pad.

Service Door lets user replace cavity light easily. No need for a service call or tools!

Power Training, Without the Power!

Demonstration Mode allows dealer or user to practice oven programming without any power in the oven. The timer will count down rapidly.



Sharp's Commercial High Speed Oven

Sharp's Commercial High Speed Oven makes cooking easy, because it's pre programmed to cook popular menu items. You'll save money and space, because you won't need a microwave, grill, convection oven or pretzel warmer. You'll also save time, because Sharp's Commercial High Speed Oven employs the latest advances in cooking technology. This microwave-assisted convection oven bakes, browns and crisps.




R-8000G

Ideal for:

- bars
- bed and breakfasts
- inns
- hotels
- delicatessens
- convenience stores

**Control panel featured
on the R-25JTF, R-24GTF,
R-23GTF, R-22GTF, R-21LTF**



Commercial Microwave Oven Specifications

Light Duty Specs:	R-21LTF	R-21LVF	R-21LCF	R-8000G
Oven Control:	Touch sensitive pads with Braille	Touch sensitive pads with Braille	Electronic Light Up Dial with Auto Cancel	Auto-Touch Controls
Output Power (IEC):	1000W	1000W	1000W	1000W
Heater Power:	—	—	—	2700W
Cabinet and Oven Interior:	Stainless steel cabinet and interior	Stainless steel cabinet and interior	Cool gray cabinet, stainless steel interior and door	Stainless steel cabinet and interior
Special Features:	20 Memories, Double Quantity, Express Defrost, 3-stages, Memory Check	10 Memories, Double Quantity, Express Defrost, Memory Check	Heating Time Guide, 6-minute coded, Light Up Dial timer, Auto Cancel	Automatic Cooking, SelectaProgram, SelectaTime, SelectaPower, Memory Check, Counter Check, Minute Plus Custom Help, Double/Triple Quantity
Variable Power Levels SelectaPower™:	11	100% only	100% only	11
Cavity Dimensions: (W x H x D)	13 7/8" x 8 1/8" x 14 5/8" 1.0 cu. ft.	13 7/8" x 8 1/8" x 14 5/8" 1.0 cu. ft.	13 7/8" x 8 1/8" x 14 5/8" 1.0 cu. ft.	16 1/8" x 8 3/8" x 13 5/8" 1.0 cu. ft.
Outside Dimensions: (W x H x D)	20 1/2" x 12 1/8" x 16"	20 1/2" x 12 1/8" x 16"	20 1/2" x 12 1/8" x 16"	21 5/8" x 16 1/2" x 23"
Approximate Weight: Net / Shipping	37 lbs / 44 lbs	37 lbs / 44 lbs	37 lbs / 44 lbs	86 lbs / 95 lbs
AC Power Required:	120V, 60 Hz, 1.6kW, 14A	120V, 60 Hz, 1.6kW, 14A	120V, 60 Hz, 1.6kW, 14A	208V, 60 Hz, 20A, NEMA 6-20P/R
UPC:	074000616509	074000616486	074000616493	074000611856

Heavy Duty Specs:	R-25JTF	R-24GTF	R-23GTF	R-22GTF	R-22GVF
Oven Control:	Touch sensitive pads	Touch sensitive pads	Touch sensitive pads	Touch sensitive pads	Touch sensitive pads
Output Power (IEC):	2100W	1800W	1600W	1200W	1200W
Cabinet and Oven Interior:	Stainless steel cabinet and interior	Stainless steel cabinet and interior	Stainless steel cabinet and interior	Stainless steel cabinet and interior	Warm gray cabinet and stainless steel interior
Special Features:	20 Memories, Double Quantity, 3-stages, Express Defrost, Memory Check	20 Memories, Double Quantity, 3-stages, Express Defrost, Memory Check	20 Memories, Double Quantity, 3-stages, Express Defrost, Memory Check	20 Memories, Double Quantity, 3-stages, Express Defrost, Memory Check	10 Memories, Double Quantity, Express Defrost, Memory Check
Variable Power Levels SelectaPower™:	11	11	11	11	100% only
Cavity Dimensions: (W x H x D)	13" x 7 1/8" x 13" .7 cu. ft.	13" x 7 1/8" x 13" .7 cu. ft.	13" x 7 1/8" x 13" .7 cu. ft.	13" x 7 1/8" x 13" .7 cu. ft.	13" x 7 1/8" x 13" .7 cu. ft.
Outside Dimensions: (W x H x D)	20 1/8" x 13 1/4" x 18 1/2"	20 1/8" x 13 1/4" x 18 1/2"	20 1/8" x 13 1/4" x 18 1/2"	20 1/8" x 13 1/4" x 18 1/2"	20 1/8" x 13 1/4" x 18 1/2"
Approximate Weight:	68 lbs / 77 lbs	65 lbs / 72 lbs	63 lbs / 69 lbs	60 lbs / 66 lbs	60 lbs / 66 lbs
AC Power Required:	230/208V, 60 Hz, 3.2kW 17.5A	230/208V, 60 Hz, 2.9kW 16A	230/208V, 60 Hz, 2.5 kW 13A	120V 60Hz, 2.0kW 17A	120V, 60 Hz, 2.0kW 17A
NEMA Receptacle:	6-20R	6-20R	6-15R	5-20R	5-20R
UPC:	074000607880	074000611757	074000611740	074000611733	074000611764

Designs and specifications are subject to change without notice. Sharp is a registered trademark of Sharp Corporation. All other trademarks are the property of their respective owners.

SHARP ELECTRONICS CORPORATION

Sharp Plaza, Mahwah, New Jersey 07430-2135

www.sharpsusa.com

For more information, call 201-529-8619 or 1-800-BE SHARP

©2007 Sharp Electronics Corporation CM-06-007A / 03-07

Sharp Commercial Ovens R-21LCF, R-21LVF and R-8000G are backed by a one year warranty for parts and labor in the end user's place of business. The warranty continues for an additional two years for a total of three years with respect to the magnetron tube. Labor and service are not provided free of charge for the additional period.

Sharp Commercial Ovens R-21LTF, R-25JTF, R-24GTF, R-23GTF, R-22GTF and R-22GVF are backed by a three year limited warranty on parts and labor with service provided in the end-user's place of business.

See operation manual for complete details.