

Citrix XenApp® 6.5
Server Operating System: Windows Server® 2008 R2 (64-Bit)

Citrix XenApp 6.5 Windows Server 2008 R2, 64-Bit	MX-2310U MX-3111U	MX-2610N MX-3110N MX-3610N	MX-2615N MX-3115N	MX-2640N MX-3140N MX-3640N	MX-4110N MX-4111N MX-5110N MX-5111N	MX-6240N MX-7040N	MX-M264N MX-M314N MX-M354N	MX-M904 MX-M1054 MX-M1204
	Color Models						Monochrome Models	
Client Operating System								
Windows XP								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Feature Pack								
Limitation	2	2 & 3	2	2 & 3	2 & 3	2 & 3	2	2 & 3

Citrix XenApp® 6.0
Server Operating System: Windows Server® 2008 R2 (64-Bit)

Citrix XenApp 6.0 Windows Server 2008 R2, 64-Bit	MX-2300N MX-2700N	MX-2310U MX-3111U	MX-2600N MX-3100N	MX-2610N MX-3110N MX-3610N	MX-2615N MX-3115N	MX-2640N MX-3140N MX-3640N	MX-3500N MX-3501N MX-4501N	MX-C311 MX-C401	MX-C312
	Color Models								
Client Operating System									
Windows XP									
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista									
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7									
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓
Feature Pack									
Limitation	2	2	2	2 & 3	2	2 & 3	2		

Citrix XenApp 6.0 Windows Server 2008 R2, 64-Bit	MX-C402SC	MX-C400P	MX-4100N MX-4101N MX-5001N	MX-4110N MX-4111N MX-5110N MX-5111N	MX-5500N MX-6200N MX-7000N	MX-6201N MX-7001N	MX-6240N MX-7040N
	Color Models						
Client Operating System							
Windows XP							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Windows Vista							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Windows 7							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Feature Pack							
Limitation			2	2 & 3	2	2	2 & 3

Citrix XenApp 6.0 Windows Server 2008 R2, 64-Bit	MX-M264N MX-M314N MX-M354N	MX-M503 MX-M453 MX-M363 MX-M283	MX-B401	MX-B402	MX-B402SC	MX-M623 MX-M753	MX-M904 MX-M1054 MX-M1204
Monochrome Models							
Client Operating System							
Windows XP							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Windows Vista							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Windows 7							
32-Bit	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓
Feature Pack							
Limitation	2	2				2	2 & 3

**Citrix XenApp® 5.0
Server Operating System: Windows Server® 2008 (32-Bit)**

Citrix XenApp 5.0 Windows Server 2008, 32-Bit	MX-2300N MX-2700N	MX-2310U MX-3111U	MX-2600N MX-3100N	MX-2610N MX-3110N MX-3610N	MX-2615N MX-3115N	MX-2640N MX-3140N MX-3640N	MX-3500N MX-3501N MX-4501N	MX-C311 MX-C401	MX-C312	MX-C402SC
Color Models										
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7										
32-Bit		✓		✓	✓	✓				✓
64-Bit		✓		✓	✓	✓				✓
Feature Pack		FP3		FP3	FP3	FP3				FP3
Limitation	2	2	2	2 & 3	2	2 & 3	2			

Citrix XenApp 5.0 Windows Server 2008, 32-Bit	MX-C400P	MX-4100N MX-4101N MX-5001N	MX-4110N MX-4111N MX-5110N MX-5111N	MX-5500N MX-6200N MX-7000N	MX-6201N MX-7001N	MX-6240N MX-7040N	AR-M257 AR-M317	MX-M260 MX-M310	MX-M264N MX-M314N MX-M354N	MX-M350 MX-M450
Color Models						Monochrome Models				
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7										
32-Bit			✓			✓			✓	
64-Bit			✓			✓			✓	
Feature Pack			FP3			FP3			FP3	
Limitation		2	2 & 3	2	2	2 & 3	1	1	2	1

Citrix XenApp 5.0 Windows Server 2008, 32-Bit	MX-M503 MX-M453 MX-M363 MX-M283	MX-B401	MX-B402	MX-B402SC	MX-M550 MX-M620 MX-M700	MX-M623 MX-M753	MX-M850 MX-M950 MX-M1100	MX-M904 MX-M1054 MX-M1204
Monochrome Models								
Client Operating System								
Windows XP								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7								
32-Bit			✓	✓		✓		✓
64-Bit			✓	✓		✓		✓
Feature Pack			FP3	FP3		FP2		FP3
Limitation	2				1	2	1	2 & 3

**Citrix XenApp® 5.0
Server Operating System: Windows Server® 2008 (64-Bit)**

Citrix XenApp 5.0 Windows Server 2008, 64-Bit	MX-2300N MX-2700N	MX-2310U MX-3111U	MX-2600N MX-3100N	MX-2610N MX-3110N MX-3610N	MX-2615N MX-3115N	MX-2640N MX-3140N MX-3640N	MX-3500N MX-3501N MX-4501N	MX-C311 MX-C401	MX-C312	MX-C402SC
Color Models										
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7										
32-Bit		✓		✓	✓	✓				✓
64-Bit		✓		✓	✓	✓				✓
Feature Pack		FP3		FP3	FP3	FP3				FP3
Limitation	2	2	2	2 & 3	2	2 & 3	2			

Citrix XenApp 5.0 Windows Server 2008, 64-Bit	MX-C400P	MX-4100N MX-4101N MX-5001N	MX-4110N MX-4111N MX-5110N MX-5111N	MX-5500N MX-6200N MX-7000N	MX-6201N MX-7001N	MX-6240N MX-7040N	AR-M257 AR-M317	MX-M260 MX-M310	MX-M264N MX-M314N MX-M354N	MX-M350 MX-M450
Color Models						Monochrome Models				
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7										
32-Bit			✓			✓			✓	
64-Bit			✓			✓			✓	
Feature Pack			FP3			FP3			FP3	
Limitation		2	2 & 3	2	2	2 & 3	1	1	2	1

Citrix XenApp 5.0 Windows Server 2008, 64-Bit	MX-M503 MX-M453 MX-M363 MX-M283	MX-B401	MX-B402	MX-B402SC	MX-M550 MX-M620 MX-M700	MX-M623 MX-M753	MX-M850 MX-M950 MX-M1100	MX-M904 MX-M1054 MX-M1204
Monochrome Models								
Client Operating System								
Windows XP								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista								
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7								
32-Bit			✓	✓		✓		✓
64-Bit			✓	✓		✓		✓
Feature Pack			FP3	FP3		FP2		FP3
Limitation	2				1	2	1	2 & 3

Citrix Presentation Server 4.5™
Server Operating System: Windows Server® 2003 (32-Bit)

Citrix Presentation Server 4.5 Windows Server 2003, 32-Bit	MX-2300N MX-2700N	MX-2310U MX-3111U	MX-2600N MX-3100N	MX-2610N MX-3110N MX-3610N	MX-2640N MX-3140N MX-3640N	MX-3500N MX-3501N MX-4501N	MX-C311 MX-C401	MX-C312	MX-C402SC	MX-C400P
Color Models										
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit										
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit										
Windows 7										
32-Bit										
64-Bit										
Feature Pack	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1
Limitation	2	2	2	2 & 3		2				

Citrix Presentation Server 4.5 Windows Server 2003, 32-Bit	MX-4100N MX-4101N MX-5001N	MX-4110N MX-4111N MX-5110N MX-5111N	MX-5500N MX-6200N MX-7000N	MX-6201N MX-7001N	MX-6240N MX-7040N	AR-M257 AR-M317	MX-M260 MX-M310	MX-M350 MX-M450	MX-M503 MX-M453 MX-M363 MX-M283	MX-B401
Color Models						Monochrome Models				
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit										
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit										
Windows 7										
32-Bit										
64-Bit										
Feature Pack	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1
Limitation	2	2 & 3	2	2	2 & 3	1	1	1	2	

Citrix Presentation Server 4.5 Windows Server 2003, 32-Bit	MX-B402	MX-B402SC	MX-M550 MX-M620 MX-M700	MX-M623 MX-M753	MX-M850 MX-M950 MX-M1100	MX-M904 MX-M1054 MX-M1204
	Monochrome Models					
Client Operating System						
Windows XP						
32-Bit	✓	✓	✓	✓	✓	✓
64-Bit						
Windows Vista						
32-Bit	✓	✓	✓	✓	✓	✓
64-Bit						
Windows 7						
32-Bit						
64-Bit						
Feature Pack	FP1	FP1	FP1	FP1	FP1	FP1
Limitation			1	2	1	2 & 3

**Citrix Presentation Server 4.5™
Server Operating System: Windows Server® 2003 (64-Bit)**

Citrix Presentation Server 4.5 Windows Server 2003, 64-Bit	MX-2310U MX-3111U	MX-2610N MX-3110N MX-3610N	MX-C402SC	MX-C400P	MX-4110N MX-4111N MX-5110N MX-5111N	MX-M260 MX-M310	MX-M264N MX-M314N MX-M354N	MX-B402	MX-B402SC	MX-M623 MX-M753
	Color Models					Monochrome Models				
Client Operating System										
Windows XP										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Vista										
32-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
64-Bit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows 7										
32-Bit										
64-Bit										
Feature Pack	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1	FP1
Limitation	2	2 & 3			2 & 3	1	2			2

Limitations:

- 1) Driver settings including auto-configuration, paper tray/type, and the document filing's user folder cannot, by default, pass through a Windows firewall. To allow these settings to pass through a firewall either: a) disable the Windows firewall, or b) register the appropriate MFP communication module as an exception in the Windows firewall (not all models support the MFP communication module).
For 32-bit drivers the module is %systemdir%\spool\drivers\w32x86\3s***acfm.exe.
For 64-bit drivers the module is %systemdir%\spool\drivers\x64\3s***acfm.exe.
- 2) The Sharp's driver feature, tandem print, is not available.
- 3) The print-and-send feature's address book is unavailable when a firewall is enabled. To allow access to the address book disable the Windows firewall.

Notes:

- 1) Sharp drivers used in a Citrix environment are to be the latest versions of PCL 6 drivers.
- 2) The Citrix driver replication function is not supported for Presentation Server 4.5 and XenApp 5.0.
- 3) Limitations related to the Citrix Auto Created Client Printer (ACCP) include:
 - a. Certain option and print driver settings on the ACCP may remain at default values, and not those as set in the client printer, depending on Citrix policy settings.
 - b. Changes to ACCP options and print settings made after the ACCP is created will remain until next logon.
 - c. To print through an ACCP using a Sharp driver ensure that the Sharp driver is installed on both the Citrix server and the client. Ensure that the same version of the driver is used on both server and client. If the Sharp driver is not installed on the server the Citrix Universal Print Driver (UPD) will be used.
 - d. An ACCP using the Citrix UPD will be unable to use certain Sharp driver functions.

Design and specifications are subject to change without notice.

Sharp is a registered trademark of Sharp Corporation. Microsoft, Windows, Windows Server, and Vista are registered trademarks of Microsoft Corporation. Citrix, Citrix Presentation Server, and Citrix XenApp are trademarks of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. All other trademarks are the property of their respective owners.